

DIN EN ISO 8041-1:2017-10 (E)

Human response to vibration - Measuring instrumentation - Part 1: General purpose vibration meters (ISO 8041-1:2017)

Contents	Page
European foreword	5
Foreword	6
Introduction	7
1 Scope	8
2 Normative references	8
3 Terms, definitions and symbols	9
3.1 Terms and definitions.....	9
3.1.1 General.....	9
3.1.2 Frequency-weighted values.....	11
3.2 Symbols.....	13
4 Reference environmental conditions	15
5 Performance specifications	15
5.1 General characteristics.....	15
5.2 Display of signal magnitude.....	17
5.2.1 General.....	17
5.2.2 Resolution and refresh rate.....	17
5.2.3 Stabilization, measurement start and display times.....	18
5.3 Electrical output.....	18
5.4 Vibration sensitivity.....	18
5.5 Accuracy of indication at reference frequency under reference conditions.....	19
5.6 Frequency weightings and frequency responses.....	19
5.6.1 Parameters.....	19
5.6.2 Band-limiting filter.....	20
5.6.3 a-v transition filter.....	20
5.6.4 Upward-step filter.....	21
5.6.5 Overall frequency weighting.....	21
5.6.6 Tolerances.....	21
5.7 Amplitude linearity.....	22
5.8 Instrument noise.....	23
5.9 Signal-burst response.....	23
5.10 Overload indication.....	26
5.11 Under-range indication.....	27
5.12 Time averaging.....	27
5.13 Running r.m.s. acceleration.....	27
5.14 Reset.....	28
5.15 Timing facilities.....	28
5.16 Electrical cross-talk.....	28
5.17 Vibration transducer characteristics.....	28
5.18 Power supply.....	28
6 Mounting	29
7 Environmental and electromagnetic criteria	29
7.1 General.....	29
7.2 Air temperature.....	29
7.3 Surface temperature.....	30
7.4 Electrostatic discharge.....	30
7.5 Radio-frequency emissions and public-power-supply disturbances.....	30
7.6 Immunity to AC power-frequency fields and radio-frequency fields.....	31
7.7 Ingress of water and dust.....	31
8 Provision for use with auxiliary devices	32
9 Instrument marking	32

10	Instrument documentation	32
11	Testing and calibration	32
12	Pattern evaluation	35
12.1	General	35
12.2	Testing requirements	35
12.3	Submission for testing	36
12.4	Marking of the vibration meter and information in the instrument documentation	36
12.5	Mandatory facilities and general requirements	36
12.6	Initial instrument preparation	36
12.7	Indication at the reference frequency under reference conditions	36
12.8	Electrical cross-talk	37
12.9	Vibration transducer	37
12.10	Amplitude linearity and under-range indication	38
12.10.1	Electrical tests of amplitude linearity	38
12.10.2	Mechanical tests of amplitude linearity	39
12.11	Frequency weightings and frequency responses	40
12.11.1	General	40
12.11.2	Mechanical tests of frequency response	40
12.11.3	Electrical tests of frequency response	41
12.11.4	Conformance	42
12.12	Instrument noise	42
12.13	Signal-burst response	43
12.14	Overload indication	43
12.15	Reset	43
12.16	Combined axis outputs	44
12.17	AC electrical output	44
12.18	Timing facilities	44
12.19	Power supply	44
12.20	Environmental, electrostatic and radio-frequency tests	44
12.20.1	General	44
12.20.2	Expanded uncertainties for measurements of environmental conditions	45
12.20.3	Acclimatization requirements for tests of the influence of air temperature and relative humidity	45
12.20.4	Test of the influence of air temperature and relative humidity combined	45
12.20.5	Influence of surface temperature	46
12.20.6	Influence of electrostatic discharges	46
12.20.7	Radio-frequency emissions and public-power-supply disturbances	46
12.20.8	Immunity to AC power-frequency fields and radio-frequency fields	47
12.21	Test report	48
13	Validation of one-off instruments	49
13.1	General	49
13.2	Testing requirements	49
13.3	Test object	49
13.4	Submission for testing	50
13.5	Marking of the one-off instrument and information in the instrument documentation	50
13.6	Mandatory facilities and general requirements	50
13.7	Initial instrument preparation	50
13.8	Test procedure	50
13.9	Indication at the reference frequency under reference conditions	51
13.10	Test parameters	52
13.10.1	Vibration measurement chain for hand-arm vibration	52
13.10.2	Vibration measurement chain for whole-body vibration	52
13.10.3	Vibration measurement chain low-frequency whole-body vibration	53
13.11	Conducting the test	53
13.12	Instrument noise	54
13.13	Electrical cross-talk	54
13.14	Overload indication	54

13.15	Timing facilities.....	54
13.16	Test report.....	55
14	Periodic verification	55
14.1	General.....	55
14.2	Testing requirements.....	55
14.3	Test object.....	55
14.4	Submission for testing.....	55
14.5	Preliminary inspection.....	56
14.6	Marking of the vibration meter and information in the instrument documentation.....	56
14.7	Test procedure.....	56
14.8	Test parameters.....	57
	14.8.1 Vibration measurement chain for hand-arm vibration.....	57
	14.8.2 Vibration measurement chain for whole-body vibration.....	57
	14.8.3 Vibration measurement chain low-frequency whole-body vibration.....	57
14.9	Conducting the test.....	58
14.10	Test report.....	58
15	<i>In situ</i> checks	58
15.1	General.....	58
15.2	Preliminary inspection.....	59
15.3	Vibration sensitivity (field calibration).....	59
	Annex A (normative) Specification for field vibration calibrator.....	60
	Annex B (informative) Frequency weightings.....	62
	Annex C (informative) Realization of frequency weighting filters	81
	Annex D (informative) Running r.m.s. time averaging.....	85
	Annex E (informative) Vibration transducer characteristics.....	88
	Annex F (informative) Tests for mounting systems	91
	Annex G (normative) Instrument documentation.....	94
	Annex H (normative) Phase response requirements for measurement of non-r.m.s. quantities.....	99
	Annex I (informative) Guidelines for the estimation of the instrumental measurement uncertainty.....	107
	Bibliography	113